uvex	SAFETY EYEWEAR	17.09.2024

Product Datasheet model uvex pheos nxt guard 9128780

UVEX ARBEITSSCHUTZ GMBH, Würzburger Str. 181-189, D-90766 Fürth

1. Product Characteristics

- classic-sporty, lightweight safety spectacle with innovative side arm structure for optimal, secure hold at all times
- uvex pheos nxt guard with directly injected additional frame offers additional protection against particles, dirt and dust combined with even greater wearer comfort
- ergonomically shaped side arms with grip structure and soft-grip temple ends provide a comfortable, secure fit without pressure
- increased air circulation for excellent climate-optimized wearing comfort thanks to numerous cuts outs in the side arms
- nose bridge designed for all-day comfort
- robust polycarbonate lens with uvex's proven supravision coating technology - permanent anti-fog and scratch-resistant lens
- UV400 - 100% protection against dangerous UV radiation up to 400 nm
- metal-free

2. Technical Details Body	
Side arms	
Material	PA / TPE
Features	climate-optimized wearing comfort
Colour	blue, anthracite
Marking	
Manufacturer´s ID code	W
Applicable EN norm	166
Impact resistance	F (45 m/s)
Resistance to high speed particles at extremes of temperature	T
Conformity symbol	CE

3. Technical Details Lens	
Lens	
Material	PC
Thickness	2.01 mm at PD
Coating	uvex supravision extreme
Colour	clear
UV protection	UV400
Soft component	
Material	TPE
Colour	anthracite
Marking	
Filter	2C-1.2 (EN 170)
Manufacturer´s ID code	W
Optical class	1
Impact resistance	F (45 m/s)
Resistance to high speed particles at extremes of temperature	T
Scratch resistance	K
Antifog	N

Conformity symbol	CE
Factory symbol	

4. Logistical Information

Product			
Weight	31g		
Dimensions (L x W x H) in approx. mm	 picture only for reference		
	162 x 143 x 55		
	Packing unit 1	**Packing unit 2**	**Packing unit 3**
EAN Code	4066853029069	4066853029076	4066853029083
Quantity in pcs.	1	10	160
Dimensions (L x W x H) in approx. mm	picture only for reference		
	70 x 145 x 60	185 x 290 x 97	600 x 400 x 400
Net weight in approx. g	31	310	4,960
Gross weight in approx. g	45	555	9,750
Country of Origin	Germany		

5. Miscellaneous

Standards	EN 166 + EN 170
PPE Category	Category II